

# HOLMFIRTH CONSERVATION AREA APPRAISAL

## Appendix I Schedule of listed Buildings

## ALL LISTED BUILDINGS AND MONUMENTS IN THE HOLMFIRT CAA ARE GRADE II LISTINGS

| HCG Ref             | Heritage England Reference   | Heritage England Listing details  | A %      | C %      |
|---------------------|--|---|----------|----------|
| 1<br><br><b>BRM</b> | Legacy System: LBS<br>UID: 340385 <b>Grade II</b><br>SE 1408 <b>HUDDERSFIELD ROAD 12/158 (&amp; NORRIDGE BOTTOM) (Holmfirth)</b><br>Listing NGR: SE1419308227  | <i>Part of terrace with underdwellings. Early C19 (north-west elevation rebuilt later). Hammer dressed stone. Pitched tiled roof. Two and 4 storeys. North-west elevation of 3 bays with central door and sash windows. Shop window to right. South-east elevation: ground floor has large doorway with deep lintel, small doorway and <u>one single light</u>. First, second and third floors each have one 10-light mullioned window.</i>   | 79<br>50 | 75<br>75 |
| 2<br><br><b>BQR</b> | SE 1408 <b>HUDDERSFIELD ROAD 12/159 (&amp; NORRIDGE BOTTOM) (Holmfirth)</b><br><b>Grade II</b><br>No 64 GV II<br>Listing NGR: SE1419708241   | <i>Shop and underdwelling part of terrace. Early to mid C19 with mid C19 frontage. Hammer dressed stone. Stone slate roof. Two and 4 storeys. North-west elevation: ground floor: entrance and one 2-light stone mullioned window. First floor: 2 single light sash windows. South-east elevation: ground floor: entrance and one 4-light stone mullioned window. First floor: later loading door and one 4-light window. Second and third floors each have one 6-light stone mullioned window.</i>   | 65<br>70 | 78<br>70 |
| 3<br><br><b>BQS</b> | Name: 66,68, NORRIDGE BOTTOM, 66,68, HUDDERSFIELD ROAD<br>List entry Number: 1313597<br><b>Grade II</b><br>Location<br>66,68, HUDDERSFIELD ROAD<br>10 NORRIDGE BOTTOM<br><b>SE 1408 HUDDERSFIELD ROAD 12/160 (&amp; NORRIDGE BOTTOM) (Holmfirth)</b><br>Listing NGR: SE1419908248<br><br>Nos 66 and 68 GV II | <i>Shops and underdwellings - part of terrace. Early to mid C19 (later alterations to frontage of No 66). Hammer dressed stone. Pitched tiled roof. Two and 4 storeys. North-west elevation: ground floor: 2 entrances and 2 large, single light shop windows. First floor: one 3-light stone mullioned window and one <u>single light</u>. South-east elevation: ground floor: entrance and one 4-light stone mullioned window. First floor: one 3-light and one 2-light window with later 2-light window between. Second floor: one 4-light window with mullions removed. Third floor: two 3-light stone mullioned windows.</i> | 43<br>79 | 63<br>69 |

|   |   |  |                    |                    |
|---|---|--|--------------------|--------------------|
| 4 | <p>Location<br/>70,72, HUDDERSFIELD ROAD<br/>11 NORRIDGE BOTTOM</p> <p><b>BQT</b> <b>Grade: II</b><br/>Date first listed: 04-Aug-1983<br/>Date of most recent amendment: Not applicable to this List entry.<br/>Legacy System: LBS<br/>UID: 340388<br/><b>SE 1408 HUDDERSFIELD ROAD 12/161 (&amp; NORRIDGE BOTTOM) (Holmfirth)</b></p> <p>Nos 70 and 72 GV II<br/>Listing NGR: SE1420008253</p> | <p><i>Shops and underwellings - part of terrace. Early to mid C19 with mid C19 frontage to No 70. Hammer dressed stone. Pitch tiled roof. Two and 4 storeys. North-west elevation (No 70): ground floor: 2 entrances and 2 large shop windows. First floor: 2 large single light windows. South-east elevation: ground floor: entrance and one 4-light stone mullioned window. First floor: one 2-light and one 3-light window with later larger 2-light window between. Second floor: two 2-light windows to second floor. One 4-light and one 3-light window to third floor.</i></p> | 58<br>45<br><br>71 | 72<br>69<br><br>52 |
| 5 | <p>NORRIDGE BOTTOM, 74,76, HUDDERSFIELD ROAD<br/>List entry Number: 1134850<br/>Location<br/><b>BQU</b> <b>Grade: II</b><br/>Date first listed: 04-Aug-1983<br/>Legacy System: LBS<br/>UID: 340389<br/>Asset Groupings<br/><b>SE 1408 HUDDERSFIELD ROAD 12/162 (&amp; NORRIDGE BOTTOM) (Holmfirth)</b><br/>Listing NGR: SE1420308260</p>  | <p><i>Shop and underdwelling - part of terrace. Early to mid C19 (mid C19 frontage to north-west). Hammer dressed stone. Stone slate roof. Two and 4 storeys. North-west elevation: ground floor: entrance and large shop window. First floor: one 8-light stone mullioned window (4 lights blocked). South-east elevation: entrance first and second floors. One 7-light window to third floor. Some of lights have sliding sashes.</i></p>   | 76<br>75           | 75<br>75           |

|   |  |   |                                   |                                  |
|---|--|---|-----------------------------------|----------------------------------|
| 6<br><br><b>ACM</b>   | <p>Name: 84, NORRIDGE BOTTOM, 84, HUDDERSFIELD ROAD<br/> List entry Number: 1313598<br/> Location<br/> 84, HUDDERSFIELD ROAD<br/> 84, NORRIDGE BOTTOM<br/> <b>Grade: II</b><br/> Date first listed: 04-Aug-1983<br/> <b>SE 1408 HUDDERSFIELD ROAD 12/163 (&amp; NORRIDGE BOTTOM) (Holmfirth)</b><br/> No 84 GV II<br/> Listing NGR: SE1421508279</p> | <p><i>Part of terrace with underwellings. Early to mid C19. Hammer dressed stone. Pitched tiled roof. Two and 4 storeys. North-west elevation part obscured by extension to No 86. Entrance to ground floor and one 3-light window to first floor. South-east elevation: ground floor: later large doorway and entrance. One 2-light stone mullioned window. First floor: one 10-light stone mullioned window with 4 lights blocked. Second floor: one 4-light and one 2-light window. Third floor: one 10-light stone mullioned window with 4 lights blocked.</i></p>  | 75                                | 70                               |
| 7<br><br><b>CLF</b>   | <p>86, NORRIDGE BOTTOM, 86, HUDDERSFIELD ROAD<br/> List entry Number: 1134851<br/> <b>Grade: II</b><br/> Date first listed: 04-Aug-1983<br/> Legacy System: LBS<br/> UID: 340391<br/> Asset Groupings<br/> <b>SE 1408 HUDDERSFIELD ROAD 12/164 (&amp; NORRIDGE BOTTOM) (Holmfirth)</b><br/> No 86 GV II<br/> Listing NGR: SE1421208285</p>           | <p><i>Part of terrace. Early-mid C19 with mid C19 frontage. Hammer dressed stone. Stone slate roof. Four storeys. North-west elevation: ground floor: 2 doorways and 3 large single windows. Extension to south-west with hipped stone slate roof and large single window. First floor: 3 single sash windows. South-east elevation: ground floor: entrance and one 2-light stone mullioned window. First and third floors each have one 4-light window. Second floor has one 3-light window.</i></p>   | 85                                | 53                               |
| 8<br><br><b>APX</b><br><b>,</b><br><b>APY</b><br><b>,</b><br><b>APL,</b><br><b>APS</b><br><b>,</b><br><b>APT,</b><br><b>APU</b> | <p><b>20-32, VICTORIA STREET</b><br/> List entry Number: 1279170<br/> <b>Grade: II</b><br/> Date first listed: 04-Aug-1983<br/> Legacy System: LBS<br/> UID: 340606<br/> Details<br/> <b>SE 1408 VICTORIA STREET 12/378 (north side) (Holmfirth)</b><br/> <b>NGR SE 14202 08185</b><br/> <b>Nos 20, 22, 24, 26, 28, 30 and 32 GV II</b></p>          | <p><i>Terrace, used as shops and banks. Early to mid C19 altered. Ashlar. Stone slate roof with moulded eaves cornice. Three storeys. Sill band to second floor and to first floor where surviving. Recent shop and bank frontages to ground floor. The 1920s or 30s frontage to No 28 extends to first floor. The rest of the first floor remains intact as does the second floor. The surviving facade is symmetrical with 11 sashes with glazing bars to second floor, and 5 sashes to first floor. The 2-storey frontage to No 28 consists of 6 moulded round arched openings with glazed bars with doorway in opening to left.</i></p> | 100<br>46<br>46<br>77<br>76<br>82 | 89<br>83<br>67<br>79<br>75<br>59 |

|                     |   |   |    |    |
|---------------------|---|---|----|----|
| <p>9</p> <p>CLE</p> | <p><b>THE PICTUREDROME</b><br/> List entry Number: 1391967<br/> Location<br/> <b>THE PICTUREDROME,<br/> MARKET WALK</b><br/> <b>Grade: II</b><br/> Date first listed: 18-May-2007<br/> Legacy System: LBS<br/> UID: 502936<br/> 13/0/10024 MARKET WALK<br/> 18-MAY-07 THE<br/> PICTUREDROME<br/> NGR SE 14222 08200</p> | <p>II Cinema, 1912-13, designed by P. Norman Brown of Holmfirth for Hawthorne and King. The building is in red brick, mainly rendered with exposed brick pillars, with a slate pitched roof. There is a louvre on the ridge towards the front of the building.</p> <p><i>ELEVATIONS: main entrance at the gable end to the south-east. Two double doors with original oval glazing bars in upper halves and overlights are centrally placed, divided by a brick pilaster. Stone banded brick pilasters to each side support a balcony, formerly an external projection box. The pilasters continue to break the roof line with semi-circular caps. The balcony has three blocked openings and a window. There is a projecting stone band at first floor, and one window to each side on ground and first floor, with stone dressings. The raised apex of the gable carries a date stone of 1912 surmounted by a stone cartouche. Both sides of the building are rendered brick with exposed brick pilasters and various openings, some blocked. To the rear is a first floor entrance to the stage and gallery areas with altered external access stair.</i></p> <p>INTERIOR: The doors open into an entrance foyer with an inserted reception desk at the rear. Stairs to the first floor gallery rise to the left with original green, yellow and white Art Deco tiling to each side. Doors to the Gentlemans toilets to the left and the Ladies toilets to the right have original lettering in the glass. The main auditorium has a bar area to the rear beneath the gallery, modern seating in the central section and an open area at the front. The flattened proscenium arch around the screen has a decorative plasterwork band with a central cartouche. The lower portion on the right side has been restored using the original mould. The ceiling is a coffered segmented barrel vault in pressed tin, with ceiling roses forming part of the ventilation system. To either side of the stage are exit doors with raised pediments, with a further door on the right side of the auditorium, and shuttered (blocked) windows along each side. The gallery runs along the rear and right hand side of the auditorium: the curved front is decorated with ornate plasterwork. There is no seating, and a projection room has been inserted into the front part of the rear section. Some openings to a former projection room at the rear survive. Behind the screen are two small rooms to the left, and additional timber and steel work has been inserted to support a first floor room in the area of the former fly tower. Truncated remains of the fly equipment remain in the ceiling. There is an original emergency exit to the rear of the side gallery.</p> <p>HISTORY: The cinema was the first purpose built cinema in Holmfirth, opened on March 1st 1913. It was then called the Valley Theatre, and originally seated 800 in the stalls and 240 in the gallery. The building incorporated a number of safety features, including the pressed tin ceiling, ventilation system and multiple emergency exits. It had an external projection and lighting box cantilevered over the main entrance, and its own electric plant with supplementary gas lighting. The stage was designed for live shows as well as films, and there were two small dressing rooms behind the stage.</p> <p>The external projection room was removed in the 1920's and replaced with one inside the building: this survives but with no equipment. The first sound feature was presented in 1930, when a new screen was installed and projection and sound systems improved. By 1952 the seating capacity had been reduced to 779, and the cinema closed in 1967. It was opened as a Bingo hall and used as such until c.1993. It then remained closed until 1998 when after refurbishment it reopened as the Picturedrome. The building is still in use as a cinema with occasional live shows.</p> | 81 | 94 |
|---------------------|---|---|----|----|

|  |  |   |  |  |
|--|--|---|--|--|
|  |  | <p>There are strong historical connections with the Bamforth family who originated in Holmfirth and were very early film makers. The firm was founded in 1870, making magic lantern slides, and by 1898 Bamforths were making films with Riley Brothers of Bradford. Some of their early films were shown at the Valley Theatre, and it has been suggested that professional members of the company also appeared live on the stage. Bamforths, whose studio was nearby in Homfirth, went on to specialise in postcards, calendars and birthday cards, but their films are acknowledged as important in the early history of cinema, providing the earliest examples of British comic film. The financial involvement of the Bamforths in the theatre at its opening is unclear. Hawthorne and King are described as the proprietors, but Harry Vernon is variously described as manager and proprietor. Vernon knew the Bamforths and his obituary states that he gave the firm their first commission to film the Holmfirth Whitsuntide procession. Bamforths may have provided financial backing to the first owners, and the firm acquired an interest in the cinema after the First World War.</p> <p>SOURCES: The Theatres Trust: Guide to British Theatres 1750-1950 (2000), p.79 Richard Brown: Film and Postcards : Cross-Media Symbiosis in Early Bamforth Films, 236-252. Bamforth, James, Oxford Dictionary of National Biography, 2004</p> <p>SUMMARY OF IMPORTANCE The Picturedrome in Holmfirth was built in 1912, and is a small but little altered example of an early purpose built cinema. Its major features including gallery, proscenium, foyer and a rare pressed tin ceiling remain intact. Additionally, it has strong historical associations with the firm of James Bamforth of Holmfirth who was an important early film maker whose locally made films were shown here and who had some financial stake in the building. It is still in use as a cinema, despite an interval of use as a bingo hall and a period of closure.</p> <p>The national criteria for buildings of this type focus on architectural quality, quality of decoration, rarity and novelty, historic associations and intactness. Any pre-1914 building should be seriously considered for listing. This cinema, although not of the highest architectural quality, has a rare feature in its pressed tin ceiling, is almost entirely intact, and has strong and important historical connections. It therefore meets the national criteria for designation. SE1422208200</p> <p>Selected Sources<br/>Books and journals<br/>Oxford Dictionary of National Biography: James Bamforth, (2004)<br/>Brown, R, Film and Postcards: Cross-Media Symbiosis in Early Bamforth Films236-252<br/>Earl, , Sell, , The Theatres Trust Guide to British Theatres 1750 - 1950, (2000), 79</p> |  |  |
|--|--|---|--|--|

|                              |   |   |              |              |
|------------------------------|---|---|--------------|--------------|
| 10<br><br><b>CFM<br/>CFL</b> | <p>NEW ROW<br/> <b>Name:</b> NEW ROW<br/> <b>List entry Number:</b> 1134884<br/> 1,3, HOLLOWGATE<br/> NEW ROW, 2,3,<br/> HOLLOWGATE<br/> <b>Grade: II</b><br/> <b>Date first listed:</b> 04-Aug-1983<br/> <b>UID:</b> 340365<br/> <b>SE 1408 HOLLOWGATE<br/> 12/138 (Holmfirth)</b></p> <p><b>Nos 1 and 3 and Nos 2 and 3<br/> (New Row) GV II</b><br/> Listing NGR: SE1417608115</p> | <p><i>Part of terrace with underdwellings. Early to mid C19. Hammer dressed stone. Stone slate roof with gable coping to north-east and stone brackets. Stone gutter to north-west. Four and 2 storeys. North-west elevation has 3 entrance and 3 single lights (part is shop frontage). First, second and third floors each have 3 single light windows. South-east elevation is of 3 terraced dwellings each with entrance and 3-light window to ground floor and two 5-light windows and one 4-light window to first floor. Two further blocked lights.</i></p>  | 69<br><br>62 | 54<br><br>63 |
| 11<br><br><b>AMS</b>         | <p>4, TOWNGATE<br/> <b>Name:</b> 4, TOWNGATE<br/> <b>List entry Number:</b> 1134758<br/> <b>4, TOWNGATE</b><br/> <b>Grade: II</b><br/> <b>Date first listed:</b> 04-Aug-1983<br/> <b>Legacy System:</b> LBS<br/> <b>UID:</b> 340586SE 1408<br/> TOWNGATE 12/358<br/> (Holmfirth)<br/> No 4 GV II<br/> Listing NGR: SE1426908163</p>   | <p><i>House, part of group. Mid C19. Ashlar frontage. Hipped stone slate roof with dentilled eaves cornice. Three storeys. Three bay frontage with first and second floor sill band. Central 3-light bow to all floors, the ground and first floor windows with glazing bars. To left and right is single bay each consisting of panelled door with fanlight and single sash to first and second floors.</i></p> <p><i>Rear elevation is of 3 bays the first and second floors having single sashes to left, large 3-light windows to centre and single light and slender round arched window to right.</i></p> | 72<br><br>61 | 56<br><br>52 |

|           |   |   |    |    |
|-----------|---|---|----|----|
| 12<br>CKE | <p><b>Church of the Holy Trinity Church, Towngate</b><br/> List entry Number: 1313632<br/> Grade: II<br/> Date first listed: 16-Jan-1967<br/> Date of most recent amendment: Not applicable to this List entry.<br/> Legacy System Information<br/> The contents of this record have been generated from a legacy data system.<br/> Legacy System: LBS<br/> UID: 340588<br/> Details<br/> SE 1408 TOWNGATE 12/360 (Holmfirth)<br/> 16.1.67 Church of the Holy Trinity<br/> Listing NGR: SE1428208187<br/> Selected Sources<br/> Books and journals<br/> Pevsner, N, The Buildings of England: Yorkshire - The West Riding, (1959)</p> | <p><i>Church. Circa 1780. By Joseph Jagger. Ashlar. Stone slate roof with modillioned eaves cornice. Square 2 tier tower at east end over chancel with gothic battlements and pinnacles. Two storeys. Three by 5 bays. Ground floor impost band. First floor sill band. Segmental headed windows to first floor. Round arched windows to ground floor. Entrance on south side, right hand bay, with segmental pediment on consoles. Moulded doorcase, double doors with rectangular leaded fan. Interior: Gallery on 3 sides on slender Doric columns. Flat ceiling with applied panel moulding and ogee bracket cornice. Early C19 wall memorials. 'The Buildings of England: Yorkshire West Riding', N Pevsner, 1959.</i></p> | 95 | 63 |
|-----------|---|---|----|----|



|  |  |  |                      |                      |
|--|--|--|----------------------|----------------------|
| 13<br><b>BVU</b><br>,<br><b>BVS</b>  | <p>Name: 8,10, BUNKERS HILL<br/>List entry Number: 1313554<br/><b>8,10, BUNKERS HILL</b><br/><b>Grade: II</b><br/>Date first listed: 04-Aug-1983<br/>Legacy System: LBS<br/>UID: 340242<br/>SE 1408 BUNKERS HILL 2/15<br/>(Holmfirth)<br/>Listing NGR: SE1432508215</p>                          | <p><i>Symmetrical pair. Early C19 with later alterations. Hammer dressed stone. Quoins to No 10. Stone slate roof. Coped gable and moulded to south-west. Two and 3 storeys. North-west elevation: ground and first floors: each have two 3-light stone mullioned windows. Second floor: one 14-light stone mullioned window with 5 blocked lights giving one 4-light and one 5-light window. Altered rear elevation.</i></p>  | 82<br><br>82         | 81<br><br>81         |
| 14<br><b>AUX</b><br>,<br><b>AUW</b> ,<br><b>AUV</b><br>,<br><b>AUU</b><br><b>Need</b><br><b>checking</b> | <p>Name: 12,14,16,18,<br/>BUNKERS HILL<br/>List entry Number: 1134920<br/>Location<br/><b>12,14,16,18, BUNKERS HILL</b><br/><b>Grade: II</b><br/>Date first listed: 04-Aug-1983<br/>Legacy System: LBS<br/>UID: 340243<br/>SE 1408 BUNKERS HILL<br/>12/16 (Holmfirth)<br/>NGR SE 14338 08226</p> | <p><i>Terrace of dwellings. Early C19. Hammer dressed stone. Quoins to south-west. Stone slate roof. Three storeys. House to left has one 3-light window to each floor and entrance to right, which adjoins doorway to next dwelling, which has one 4-light window to each floor. House to right has central door in recent porch. One 4-light window to left to ground and first floors. Single sash to right, ground floor, with 2-light window to first floor. Three 2-light windows to second floor.</i></p>   | 74<br>74<br>74<br>74 | 66<br>66<br>66<br>66 |
| 15<br><b>AUS</b><br>,<br><b>AUT</b><br><b>check</b><br><b>k</b>  | <p>38, 38A, BACK LANE<br/>Name: 38, 38A, BACK LANE<br/>List entry Number: 1134913<br/><b>38, 38A, BACK LANE</b><br/><b>Grade: II</b><br/>Date first listed: 04-Aug-1983<br/>Legacy System: LBS<br/>UID: 340229<br/>Listing NGR: SE1434808236</p>   | <p><i>Part of row. Early to mid C19. Hammer dressed stone. Quoins to north-west between 38 and 38A. Stone slate roof. Three storeys (one to rear).</i></p> <p><i>South-east elevation: blocked doorway with 5-light stone mullioned window to each side and further doorway to right.</i></p> <p><i>North-west elevation: ground floor: 2 doorways. One 4-light and one 2-light stone mullioned window. First floor: 3 pairs of 2-light stone mullioned windows, and 2 later or altered windows. Second floor: continuous 13-light stone mullioned window.</i></p> | 94<br><br>94         | 94<br><br>94         |

|  |   |  |    |    |
|--|---|--|----|----|
| 16<br><b>APQ</b>                         | <p>OLD LOCK UP<br/>Name: OLD LOCK UP<br/>List entry Number: 1313578<br/><b>OLD LOCK UP, DAISY LANE</b></p> <p><b>Grade: II</b><br/>Date first listed: 04-Aug-1983<br/>Legacy System: LBS<br/>UID: 340282<br/>SE 1408 DAISY LANE 12/55<br/>(Holmfirth) Old Lock Up<br/>Listing NGR: SE1430208197</p> | Former detached lock up. Early C19. Hammer dressed stone. Stone slate roof. Two storeys. North elevation: large carriage doorway with massive stone lintel supported on rounded padstones. Doorway to east and south elevations (the latter blocked). West elevation: first floor has narrow slit opening with vertical bar.   | 92 | 80 |
| 17<br><b>ACF</b><br>,<br><b>ACE</b><br>, | <p><b>Name: 25,27, HOLLOWGATE</b><br/>List entry Number: 1227741<br/><b>Grade: II</b><br/>Date first listed: 04-Aug-1983<br/>Legacy System: LBS<br/>UID: 340366<br/>SE 1408 HOLLOWGATE<br/>12/139 (Holmfirth)<br/>Nos 25 and 27 GV II<br/>Listing NGR: SE1411108089</p>                             | Two dwellings, part of row. Early C19. Hammer dressed stone. Stone slate roof with one part gable coping on cut kneeler to rear. Moulded stone brackets to gutter. Three storeys. The 2 dwellings are terraced with additional bay to left which consists of modern ground floor casement window, and one 2-light window to first and second floors. The main dwellings each have entrance and 3-light window to ground floor, and one 5-light window to first and second floors. Part blocked loading door to rear at second floor level. | 78 | 63 |
| 18<br><b>AQV</b>                         | <p>Name: 12, NEW FOLD<br/>List entry Number: 1134830<br/><b>Grade: II</b><br/>Date first listed: 04-Aug-1983<br/>Legacy System: LBS<br/>UID: 340446<br/>NGR SE 14087 08064</p>  | Part of terrace. Early to mid C19 though possible earlier origin. Coursed rubble and hammer dressed stone. Rendered to south. Plinth. Tabling to east gable. Some quoins. Stone slate roof. North elevation has quoins to ground and first floors. Ground floor: one 4-light stone mullioned window. First floor: one 3-light window. Second floor: one 3-light and one 2-light window. South elevation: ground floor: panelled door. First and second floors each have one 2-light stone mullioned window.                                | 29 | 74 |
| 19<br><b>AQU</b>                         | <p>Name: 13, NEW FOLD<br/>List entry Number: 1228273<br/><b>Grade: II</b><br/>Date first listed: 04-Aug-1983<br/>Legacy System: LBS<br/>UID: 340447<br/>SE 1408 NEW FOLD 12/220<br/>(Holmfirth)<br/>No 13 GV II<br/><b>National Grid Reference: SE 14081 08061</b></p>                              | Part of terrace. C19. Hammer dressed stone. Rendered to south. Some quoins. Stone slate roof. Three storeys. Ground floor: two 2-light stone mullioned windows. Central store lean-to extension. One 9-light stone mullioned window to first and second floors, the latter with 2 blocked.   | 34 | 74 |

|                  |  |   |    |    |
|------------------|--|---|----|----|
| 20<br>MON        | <p><b>Name: HOLLOWGATE BRIDGE</b><br/> List entry Number: 1134885<br/> HOLLOWGATE BRIDGE,<br/> HOLLOWGATE<br/> <b>Grade: II</b><br/> Date first listed: 04-Aug-1983<br/> Legacy System: LBS<br/> UID: 340367<br/> SE 1408 HOLLOWGATE<br/> 12/140 (Holmfirth)</p> <p>Listing NGR: SE1408408098</p>            | <p>Road bridge. Early C19. Hammer dressed stone with ashlar parapet on string course. Shallow segmental arch.</p>   |    |    |
| 21<br>MON        | <p>MILE POST, HOLLOWGATE BRIDGE<br/> <b>Name: MILE POST, HOLLOWGATE BRIDGE</b><br/> List entry Number: 1227749<br/> <b>Grade: II</b><br/> Date first listed: 04-Aug-1983<br/> UID: 340368<br/> SE 1408 HOLLOWGATE<br/> 12/141 (Holmfirthh)</p> <p><b>National Grid Reference: SE 14085 08101</b></p>         | <p>Mile post. Mid-late C19. Flat cast iron front with rounded top. Reads: GREENFIELD &amp; SHEPLEY LAND HEAD ROAD HOLMFIRTH DENBY GREEN DALE FIELD 6½ MILES 10½ MILES CAWTHORNE OLDHAM 10 MILES 14¼ MILES BARNSELY 14 MILES</p>   |    |    |
| 22<br>CHH<br>CHG | <p><b>Name:</b> 10,12,14,<br/> HUDDERSFIELD ROAD (new fold?)<br/> List entry Number: 1134847<br/> <b>Grade: II</b><br/> Date first listed: 04-Aug-1983<br/> Legacy System: LBS<br/> UID: 340384<br/> .SE 1408 HUDDERSFIELD ROAD 12/157 (Holmfirth)</p> <p><b>National Grid Reference: SE 14022 08075</b></p> | <p>Part of terrace with underwellings. Early to mid C19 with mid C19 frontage. Hammer dressed stone. Stone slate roof with moulded stone brackets to gutter. Large central stone stack. Two and four storeys. C20 shop frontage to left with 2 single sashes to first floor. House to right comprises 2 doorways to right and single sash to left, and 2 single sashes to first floor. Rear elevation is symmetrical and handed. Each dwelling consisting of near central doorway with one 3-light window to one side and single light to other. To first floor each has one 9-light window: that to left with each end light blocked, and that to right with 3 centre lights blocked. To second floor each has one 3-light and one single light. One 9-light stone mullioned window to each at third floor level (some blocked lights). Third and first floors have continuous sill bands.</p> | 56 | 53 |

|                           |  |  |    |    |
|---------------------------|--|--|----|----|
| 23<br><b>BDN<br/>BDM</b>  | <p><b>Name:</b> 1,3,5,7,9, WOODHEAD ROAD<br/> <b>List entry Number:</b> 1229721<br/> <b>Grade:</b> II<br/> <b>Date first listed:</b> 04-Aug-1983<br/> <b>Date of most recent amendment:</b> 14-Oct-1993<br/> <b>UID:</b> 340653<br/> SE 10 NW HOLME VALLEY</p> <p><b>Nos. 1, 3, 5, 7 &amp; 9 4/8/83</b><br/> <b>(Formerly Listed as:</b><br/> <b>WOODHEAD ROAD,</b><br/> <b>Holmfirth, Nos. 1 &amp; 3)</b><br/> <b>National Grid Reference: SE</b><br/> <b>13978 08045</b></p> | <p><i>Two houses, part of terrace. Early C19 though north elevation rebuilt c.1900. Hammer dressed stone. Some quoins to south. Stone slate roof with gable coping and moulded kneeler to south-east. Four storeys. The 2 dwellings are symmetrical to ground and first floors, with entrance and 3 large casements to ground floor and continuous 10-light window to first floor (some blocked lights). House to left has one 3-light and one 2-light window to second floor and 10-light window to third floor with 4 blocked lights. House to right: two 3-light windows to second and third floors.</i></p>  | 35 | 75 |
| 24<br><b>AJN,<br/>BUK</b> | <p><b>Name:</b> 25,27, WOODHEAD ROAD<br/> <b>List entry Number:</b> 1134745<br/> <b>Grade:</b> II<br/> <b>Date first listed:</b> 04-Aug-1983<br/> <b>Legacy System:</b> LBS<br/> <b>UID:</b> 340654<br/> SE 10 NW WOODHEAD ROAD 4/426 (Holmfirth)<br/> Listing NGR: SE1379707945</p>   | <p><i>Two cottages. Early C19. Hammer dressed stone. Stone slate roof. Coped gables. Two stacks (one ashlar). Two storeys. North-west elevation: No 25: ground floor: central doorway with one 3-light stone mullioned window to one side, and one small single light to other. First floor: one 2-light stone mullioned window, one single light, and one 3-light stone mullioned window.</i></p> <p><i>No 27: doorway to left. Three large single light windows with large separating 'mullions'. Central light probable former doorway. First floor: one 3-light stone mullioned window with one light blocked and one 2-light stone mullioned window.</i></p>  | 71 | 73 |
| 25<br><b>ARH</b>          | <p><b>Name:</b> CHURCH OF ST JOHN<br/> <b>List entry Number:</b> 1229162<br/> <b>Date first listed:</b> 04-Aug-1983<br/> <b>Grade II</b><br/> <b>Legacy System:</b> LBS<br/> <b>UID:</b> 340599<br/> SE 10 NW UPPERTHONG LANE 4/371 (Holmfirth)<br/> Listing NGR: SE1368408065</p>   | <p><i>Gothic Revival Church. 1848. Hammer dressed stone with ashlar dressings and plinth. Buttresses. Pitched slate roof with gable copings. North and south transepts, the latter with 3 tier square tower over. Lower chancel. Nave of 4 bays to north and 5 bays to south, each side with doorway the one to south in stone porch. Windows are 2-light with traceried heads, some with stained glass. North transept of 2 bays with window as before. North window is 3-light with stained glass. Tower of 3 tiers with bell chamber with pair of 2-light traceried and louvered lights to each elevation. Five-sided stair turret, to first tier level, on east side. Chancel of 2 bays with windows as before. East window of 4-lights with tracery and stained glass. Interior: chancel arch. Roof trusses supported on engaged colonnettes.</i></p> | 96 | 78 |

|                                  |  |  |                |                |
|----------------------------------|--|--|----------------|----------------|
| 26<br><b>BAB<br/>BAA</b>         | <p><b>Name:</b> 11,13, UPPERTHONG LANE<br/> <b>List entry Number:</b> 1134764<br/> <b>Grade:</b> II<br/> <b>Date first listed:</b> 04-Aug-1983<br/> <b>Legacy System:</b> LBS<br/> <b>UID:</b> 340598<br/> SE 10 NW UPPERTHONG LANE 4/370 (Holmfirth)<br/> <b>National Grid Reference:</b> SE 13886 08072</p>  | <p><i>End of terrace. Early to mid C19. Hammer dressed stone. Stone slate roof. Central stack. Occasional stone brackets to gutter. Two storeys. Two central doorways (one blocked) and one later doorway to left. Two 3-light stone mullioned windows. First floor: one 4-light stone mullioned window. (2 lights blocked) and three 2-light windows. Rear elevation: one 2-light stone mullioned window to first floor of each dwelling.</i></p>   | 69<br><br>51   | 75<br><br>75   |
| 27<br><b>CIW<br/>CNF<br/>CSS</b> | <p><b>Name:</b> BON ACCORD, CARRLEIGH AND CARRFIELD TERRACE<br/> <b>List entry Number:</b> 1215567<br/> <b>Grade:</b> II<br/> <b>Date first listed:</b> 04-Aug-1983.<br/> <b>Date of most recent amendment:</b> 05-Jul-1984<br/> <b>UID:</b> 340248<br/> Bon Accord and Carr Leigh<br/> <b>The address and item shall be amended to read:</b><br/> <b>COOPER LANE (Holmfirth)</b><br/> <b>Bon Accord, Carrleigh and Carrfield terrace</b><br/> <b>SE 1408 CARR HOUSE</b><br/> <b>LANE 12/21 (Holmfirth)</b><br/> Listing NGR: SE1415308305</p> | <p><i>Terrace of 3 large houses. Mid C19. Ashlar fronted. Pitched slate roof with gable copings. Four ashlar stacks with plinth and cap. Two storeys. Symmetrical facade. Seven bay frontage with alternative bays breaking forward slightly. Three doorways with ashlar surround and semi-circular fanlight, each with a pair of engaged columns supporting full entablature and pediment. Sash windows have architrave surround. Moulded eaves cornice and blocking course. Round arched landing windows to rear and 4 small pitched dormers.</i></p>  | 55<br>28<br>63 | 74<br>68<br>70 |
| 28<br><b>ACO</b>                 | <p><b>Name:</b> BEECH HOUSE<br/> <b>List entry Number:</b> 1134852<br/> Location<br/> BEECH HOUSE,<br/> HUDDERSFIELD ROAD<br/> <b>Grade:</b> II<br/> <b>Date first listed:</b> 04-Aug-1983<br/> <b>Legacy System:</b> LBS<br/> <b>UID:</b> 340395<br/> SE 1408 HUDDERSFIELD ROAD 12/168 (Holmfirth)</p>  | <p><i>Large detached house. Mid C19. Ashlar frontage with plinth and moulded string course. flipped slate roof with heavily moulded eaves cornice. Two storeys. Three bay symmetrical facade, with central bay breaking forward slightly. Slender central, open porch with frieze, cornice, and blocking course which ties in with string course. Round arched openings with keystone. Square columns. Sunk panel decoration to columns and spandrels. Panelled door with semi-circular fanlight. Sash windows with architrave surround. Ground floor square bay to left and right elevations. Rear part is of hammer dressed stone.</i></p> | 83             | 68             |

|                                     |  |  |            |          |
|-------------------------------------|--|--|------------|----------|
|                                     | Listing NGR: SE1420908346  |  |            |          |
| 29<br><b>AAA</b><br>,<br><b>BZB</b> | <p><b>Name:</b> 81,83, HUDDERSFIELD ROAD<br/><b>List entry Number:</b> 1227967<br/><b>Location</b><br/>81,83, HUDDERSFIELD ROAD<br/><b>Grade: II</b><br/><b>Date first listed:</b> 04-Aug-1983<br/><b>Legacy System:</b> LBS<br/><b>UID:</b> 340392<br/>SE 1408 HUDDERSFIELD ROAD 12/165 (Holmfirth)<br/>Listing NGR: SE1423708384</p>   | <p><i>Handed pair. Mid C19. Ashlar fronted. Stone slate roof with moulded eaves cornice and blocking course. Three storeys. Four bays with first and second floor sill bands. A flight of stone steps leads to 2 central 6 panelled doors with ashlar surrounds and semi-circular fanlight with glazing bars. Three engaged slender Doric columns support frieze, cornice and blocking course. To each side is single sash set in round arched recess. Four single sashes to first and second floors.</i></p>  | 100<br>100 | 54<br>59 |
| 30<br><b>CTO</b>                    | <p><b>Name:</b> CIVIC HALL, BOUNDARY WALL AND GATE PIERS<br/><b>List entry Number:</b> 1227986</p> <p>The building may lie within the boundary of more than one authority.<br/><b>County:</b><br/><b>District:</b> Kirklees<br/><b>District Type:</b> Metropolitan Authority<br/><b>Parish:</b> Holme Valley<br/><b>National Park:</b> Not applicable to this List entry.<br/><b>Grade: II</b><br/><b>Date first listed:</b> 04-Aug-1983<br/><b>Legacy System:</b> LBS<br/><b>UID:</b> 340396<br/>SE 1408 HUDDERSFIELD ROAD 12/169 (Holmfirth)<br/>Listing NGR: SE1426308452</p> | <p><i>Civic Hall. 1842. Ashlar. Flat roof with moulded eaves cornice and blocking course. Two storeys. South-east elevation: 3 central bays of tall windows, with glazing bars, to each floor, the upper floor having stone surrounds and set in shallow recessed panels. Between floors is deep ashlar string course. To each side of central part of side wings of one bay which breaks forward and has a single light to each floor. Two entrances: one to inside of each projecting wing. North-east elevation: ground floor has 5 blind window openings. First floor has tall, central, 3-light window with moulded decoration. Boundary wall returns to building. Two massive, square ashlar corner posts with moulded caps. Two similar gate piers with iron overthrow.</i></p> | 82         | 63       |

|  |   |   |                |                |
|--|---|---|----------------|----------------|
| 31<br><b>CMC</b><br>,<br><b>CMB</b><br>,<br><b>CMA</b> | <p><b>Name: 142-150, HUDDERSFIELD ROAD</b><br/> List entry Number: 1270289<br/> <b>Grade: II</b><br/> Date first listed: 08-Jun-1992<br/> Legacy System: LBS<br/> UID: 459787<br/> Listing NGR: SE1434608558</p>  | <p>Row of 4 houses, formerly 5 houses. c1830. Coursed rubble with ashlar dressings and slate roofs with 4 stacks. Street front, 2 storey over basement, 6 window range. Ground floor has central window with glazing bar sash, in raised ashlar surround, to the left a similar window and beyond a former doorway with a window inserted. Set back to the left a round headed doorway with rusticated surround and 2 panel door with fanlight. To the right a pair of doorways with raised ashlar surrounds and plain doors with overlights, beyond a further glazing bar sash and beyond again a further set-back round headed doorway with rusticated surround and C20 glazed door with fanlight. Above a moulded first floor band and 4 glazing bar sashes in raised ashlar surrounds with eitherside single narrow sashes, that to right plain. <b>INTERIOR:</b> Ashlar stone staircase, with ladder type stairs to attics First floor rooms have wooden plank partitions with glazed over-lights. Some original fireplaces on the upper floors.</p> | 97<br>97<br>84 | 75<br>75<br>75 |
| 32<br><b>AUR</b><br><b>CNY</b>                         | <p><b>Name: 25,27, STATION ROAD</b><br/> List entry Number: 1134822<br/> Location<br/> <b>Grade: II</b><br/> Date first listed: 04-Aug-1983<br/> Legacy System: LBS<br/> UID: 340530<br/> SE 1408 STATION ROAD<br/> 12/303 (Holmfirth)<br/> Listing NGR: SE1434908301</p> | <p>Part of row. Early to mid C19. Hammer dressed stone. Stone slate roof. Two and 3 storeys. North-west elevation: ground floor: two 3-light stone mullioned windows (one window has all lights blocked). First and second floors each have two 4-light stone mullioned windows.</p>  | 60<br>71       | 66<br>69       |
| 33<br><b>CLM</b>                                       | <p><b>Name: RAILWAY STATION BUILDING</b><br/> List entry Number: 1228523<br/> <b>Grade: II</b><br/> Date first listed: 04-Aug-1983<br/> Legacy System: LBS<br/> UID: 340531<br/> SE 1408 STATION ROAD<br/> 12/304 (Holmfirth)<br/> Listing NGR: SE1446508524</p>          | <p>Former Station Master's house, now disused. Mid C19. Rock faced stone with ashlar dressings. Quoins. Part rendered. Steeply pitched slate roofs with gable copings on large kneelers. Central stack with triple, hexagonal ashlar chimneys with caps. Stack to each gable with double ashlar chimneys, as before. Two storeys and attic. Gabled cross wing at each end. East elevation has central bay, slightly set back, with doorway in large Tudor arched surround with deep hood mould. Above this is gabled dormer with 2-light window. Each cross wing has 6-light mullioned and transomed window to ground floor, and cross window to first floor. Small single light in apex of each gable. West elevation has central single storey canted bay and 3-lights.</p>   | 76             | 53             |



|  |  |  |                |                 |
|--|--|--|----------------|-----------------|
| 34<br><b>BW<br/>Y,<br/>CXR</b>               | <p><b>Name:</b> 13 AND 15, CLIFF LANE, HOLMFIRTH<br/> <b>List entry Number:</b> 1313550<br/> Location<br/> 13 AND 15, CLIFF LANE, HOLMFIRTH (Formerly listed under BANK HOUSE LANE)<br/> <b>Grade: II</b><br/> <b>Date first listed:</b> 04-Aug-1983<br/> <b>Date of most recent amendment:</b> Not applicable to this List entry.<br/> <b>Legacy System:</b> LBS<br/> <b>UID:</b> 340230<br/> SE 140 12/3<br/> <b>Listing NGR:</b> SE1449908405</p> | <p><i>Two dwellings. Late C18-early C19. Hammer dressed stone. Quoins. Bitumen covered stone slate roof with gable copings. Large central ashlar stack. Two storeys and basement. East elevation: small lights to basement in light well. At ground floor level: entrance to left and right, both in later porch, and two 3-light windows. To first floor are two 5-light windows one with 2 lights blocked. Possible further 2-lights between, now blocked. West elevation: one 3-light window to ground floor and 3-light window to ground floor and modern bow in former 3-light opening. To first floor is former 7-light window with 3 blocked lights to centre, and one 6-light window. To south is slightly later addition, altered, with single light windows to west.</i></p> |                |                 |
| 35<br><b>CPB</b>                             | <p><b>Name:</b> THE VICARAGE<br/> <b>List entry Number:</b> 1313549<br/> <b>THE VICARAGE, 23, BACK LANE</b><br/> <b>Grade: II</b><br/> <b>Date first listed:</b> 04-Aug-1983<br/> <b>Legacy System:</b> LBS<br/> <b>UID:</b> 340228<br/> SE 1408 BACK LANE 12/1 (Holmfirth)<br/> <b>Listing NGR:</b> SE1439608168</p>  | <p><i>Large detached house. Mid C19. Ashlar fronted. Hipped stone slate roof with 2 large ashlar stacks. Two storeys. Three bay symmetrical facade with string course. Central door with architrave surround and semi circular fanlight with glazing bars, and small cornice over. Giant pilasters to each side of door and giant clasping pilasters to each corner. Tall sash windows with glazing bars to ground floor and 3 single sashes to first floor, all with ashlar panel below. Deep moulded eaves cornice. The giant pilasters are taken round onto right side. To left elevation is single storey extension with central gable with cross finial and modern garage door. Two small round arched windows with traceried glazing bars.</i></p>                               | 64             | 86              |
| 36<br><b>BVQ<br/>,<br/>BVP<br/>,<br/>BVO</b> | <p><b>Name:</b> 23,25,27, SOUTH LANE<br/> <b>List entry Number:</b> 1134820<br/> Location<br/> 23,25,27, SOUTH LANE<br/> <b>Grade: II</b><br/> <b>Date first listed:</b> 04-Aug-1983<br/> <b>Legacy System:</b> LBS<br/> <b>UID:</b> 340523<br/> SE 1408 SOUTH LANE 12/296 (Holmfirth)<br/> <b>Listing NGR:</b> SE1433308128</p>   | <p><i>Row of 3 dwellings. Early C19. Hammer dressed stone. Stone slate roof with gable copings and carved kneelers. Three storeys. No 23 to left is of single bay, with 2-light window to each floor and ground floor entrance to right. Nos 25 and 27 are as a pair, each with one 5-light stone mullioned window to first and second floors, (3 with centre light blocked). No 25 has entrance and 2-light window to ground floor, and No 27 has entrance with single sash to each side. Recently built lean-to to right gable which was formerly an internal wall.</i></p>  | 70<br>84<br>66 | 95<br>100<br>80 |



|    |  |  |  |  |
|----|--|--|--|--|
|    |  |  |  |  |
| 37 | <p><b>MO</b><br/><b>N.</b></p> <p>Name: AMIENS COLUMN<br/>List entry Number: 1134759<br/><b>Grade: II</b><br/>Date first listed: 16-Jan-1967<br/>Legacy System: LBS<br/>UID: 340587<br/>SE 1408 TOWNGATE 12/359<br/>(Holmfirth)<br/>Listing NGR: SE1427508236</p>  | <p><i>Monument. Dated 1810. Stone octagonal column and base on massive rough square block. Moulded square capital surmounted by ball finial. Applied inscription includes "1810 - Erected to commemorate the short Peace of Amiens".</i></p> |  |  |
| 38 | <p><b>MO</b><br/><b>N</b></p> <p><b>TROUGHS opposite No.29</b><br/>List entry Number: 1134868<br/>Location<br/>TROUGHS OPPOSITE NO29,<br/>GOOSE GREEN<br/><b>Grade: II</b><br/>Date first listed: 04-Aug-1983<br/>UID: 340331<br/>Details<br/>SE 1408 GOOSE GREEN<br/>12/104 (Holmfirth)<br/>Listing NGR: SE1410908006<br/>.....</p> | <p>Stone troughs. Dated 1838. Two stone troughs in recessed areas of dry stone wall with lintel (one recess blocked). One trough feeding lower trough. Upper trough inscribed: CT.1838. Lower trough inscribed 1838.</p>                     |  |  |